



COOKING PASSION SINCE 1877

NEFF Collection

DARK, DRAMATIC, CONTEMPORARY

April 2022





Ready to join the dark side?

NEFF stop at nothing to feed cooks' passion for food and get them closer to their cooking. The NEFF Collection range has been designed to push creative boundaries once more.

Our stunning Graphite Grey range is dark, dramatic and contemporary. These built-in appliances feature graphite toned handles and strips for a look that is sleeker, darker and bang on trend.

Available on selected N90 and N70 ovens, compact ovens, warming drawer, hob, hood, coffee machine and dishwashers. With solutions available for seamless installation in banks or tower settings.



Exclusive 5 Year Warranty*

NEFF produce quality home appliances that are built to last and this exclusive range of products come with an extended five year manufacturer's warranty for added peace of mind.

It protects against manufacturing faults and defects that occur during this warranty period.

To register your NEFF appliance for its extended 5 year manufacturer's warranty, please call 0800 519 2115 or visit Neff.co.uk

*The exclusive 5 year warranty only applies to the NEFF Collection product range.
*See full Terms and Conditions



Modern contemporary display N90 oven kitchen

FOR THE EXPERIMENTAL GOURMET

If cooking is more than just a hobby, the N90 NEFF Collection range gives you incredible freedom. Appliances with intelligent innovation and sublime style to help you take cooking, and kitchen design, to new heights.




Scan here to find out more about NEFF Collection



Find out more at neff-home.com/uk


①
**Coffee Machine
C17KS61G0**

Become your own home barista. Make coffee just the way your family loves it.




②
**Single Oven
B57CS24G0B**

Designed to be the centrepiece of your kitchen. Complete with a range of features allowing you to get creative in the kitchen and featuring NEFF's iconic Slide&Hide® oven door.



③
**Compact Oven with
Microwave
C17MS32G0B**

To offer the ultimate flexibility, compact oven with microwave for seamless installation.




④
**Warming Drawer
N17HH10G0B**

The gourmet cookaholic's must-have appliance. Versatile and useful for everything, from warming plates before dinner, to proving bread.


⑤
**Flex Induction Hob
T59FS5RX2**

90cm FlexInduction with TwistPad® Fire - Suitable for seamless installation with 90cm I98WMM1S7B for a sleek look.




⑥
**Glass Draft
I98WMM1S7B**

Unique surface extraction. Guided Air Technology offers powerful, quiet and seamless ventilation.




⑦
**Dishwasher
S199YB801E**

Ideal for installation in a handleless kitchen with Door Open Assist and fitted with NEFF's new Intelligent programme.



⑧
**Wine Cabinet
KU9213HG0**

60cm Built Under Wine Cabinet shown. *Core Range Product.



Classic shaker display N70 oven kitchen

FOR THE SERIOUS CHEF

If cooking is your hobby, the N70 NEFF Collection Range keeps you equipped for every dish. With appliances featuring intelligent innovation and sublime style to help you take cooking, and kitchen design, to new heights.



Find out more at
neff-home.com/uk

①

Single Oven B57CR22G0B

Packed with innovative features and functions, perfect for those that love to experiment. Including NEFF's iconic Slide&Hide® door.

②

Compact oven with microwave C17MR02G0B

For the ultimate flexibility, compact oven with microwave for seamless installation.

③

Warming Drawer N17HH10G0B

Versatile and useful for everything from warming plates before dinner, to proving bread.

④

Angled Glass Hood D96IMW1G1

Powerful, quiet extraction to suit your kitchen and lifestyle, with matching Graphite Grey strips.

⑤

Hob T68FS6RX2

80cm FlexInduction hob with TwistPad Fire® - I88WMM1S7B.

⑥

Dishwasher S299YB801E

The new NEFF dishwashers offer you more flexibility than ever before, with various basket and drying solutions.

 Home Connect

⑦

Wine Cabinet KU9202HF0

30cm Built Under Wine Cabinet shown. *Core Range Product.

Our Guide To Ovens

An oven for every cookaholic

Our ovens are designed by cooks, for cooks. We're proud of our strong aesthetic values and our ovens look as great on the outside as they work on the inside. This range of ovens in the NEFF collection include all of NEFF's commitment to creating a better cooking experience but they are available in the rich dark Graphite Grey tone.

Your versatile kitchen companion

NEFF's iconic CircoTherm® hot air system is fitted as standard on all ovens. It's then up to you to choose from the other features to suit your cooking style. Use your voice with Home Connect, let our Pyrolytic Self-Cleaning models make cleaning up after your creations a breeze. And if you want the benefits that steam offers, choose a model with Vario Steam® or Full Steam.

This exclusive range of Graphite Grey trimmed models are available exclusively through NEFF Collection partners. All appliances in the NEFF Collection Range are covered by NEFF's 5 Year Warranty.

Our Guide To Display Types

Within this exclusive range of NEFF Collection models the interfaces included in the collection are our electronic control panels with shift control. Designed to co-ordinate beautifully with compact appliances and the coffee machine to create a seamless bank of appliances suited to your cooking needs.

A design for every cookaholic

Our unique range of Slide&Hide® Ovens are available with 2 different control displays for navigating the cooking features. We offer a larger Full Touch TFT control panel on our N90 models and a slightly smaller TFT control panel on our N70 models.



N90 Oven



Features

THIS COLLECTION CAN INCLUDE*:-

- Home Connect
- Slide&Hide® door with Rotating Handle
- Medium Shift Control 4.1" inch
- Full Steam
- NEFFLight®
- Vario Steam®
- Pyrolytic Self-Cleaning
- CircoTherm®
- SeamlessCombination®
- Multi Point Meat Probe
- ComfortFlex Rails

N70 Oven



Features

THIS COLLECTION CAN INCLUDE*:-

- Slide&Hide® door with Rotating Handle
- Small Shift Control 2.5" inch
- Vario Steam®
- Pyrolytic Self-Cleaning
- CircoTherm®
- SeamlessCombination®



Find out about more about our iconic Slide&Hide® door.


N90 Medium Shift Control



Offering the best of both

Medium Shift Control that offers both a medium Touch Control display along with a shift panel to aid navigation.

N70 Small Shift Control



Premium yet practical

Often a popular choice for control display, our Small Shift Control is available within our N70 Collection and offers the best of a high resolution display with a shift panel button for precise and easy navigation.

Our Guide To Seamless Combinations

Mix and match your appliances

Create your perfect kitchen by choosing your very own appliance combination and cooking features to suit your lifestyle. With our SeamlessCombination® strips you can seamlessly combine our N90 and N70 Collection of single ovens, compact oven and 14cm warming drawer. These are universal so you can create your combination from either the N90 or N70 ranges.

Seamless Combination® strips – Z11SZ60G0

For 45cm Compact Oven with 14cm Warming Drawer



Seamless Combination® strips – Z11SZ90G0

For 60cm Single Slide&Hide® Oven with 45cm Compact Oven (special aperture applies)



Compact Oven – C17FS22G0

Combine seamlessly with full size Single Slide&Hide® Oven.



Single Oven – B57CS24H0B



General Product Overview



Glass Draft Hoods



I98WMM1S7B & I88WMM1S7B

Seamless Hob Installation

Celebrate your kitchen design with visual unity. Our Glass Draft Hood has been designed to be installed seamlessly with our 80cm T68FS6RX2 and 90cm T59FS5RX2 induction hobs, for one aesthetic composition.

Ambient Light

The passionate cook's perfect must-have. Our Glass Panel with Illumination is unobtrusive so it would never divert attention from the peaceful view into your open plan kitchen or living area. Connect your Glass Draft Hood with the Home Connect app and choose from endless colours for the edge of your Glass Panel. Then treat yourself to a unique cooking experience every time with your choice of individual lighting.



Visualise your cooking space with the help of the Neff Virtual Brochure. Scan here to download.



Chimney Hood

D96IMW1G1
Angled Glass Chimney Hood

Powerful, silent extraction with black glass and Graphite Grey edging.

Features

Ambient Light

Choose from 31 colours to illuminate and personalise your kitchen wall in a tone that suits your style.

Fully Automatic Hood

Cooking has never been easier, thanks to fully automatic hood control when the hob is switched on.

Hob-Hood Control

Conveniently control the hood from the hob (with Wi-Fi enabled hob).

Adjustable LED White Colour Temperature

Set the mood in your kitchen, easily adjust the light to the shade that's right for the moment.

Remote & Voice Control

With Home Connect you can control the hood from an app or with your voice, perfect if you have messy hands from cooking.

Special Noise Insulation

Guarantees an extremely quiet cooking experience. Lose the sound but not the power.



Dishwashers

S199YB801E & S299YB801E

The new NEFF connected dishwasher - transforms your kitchen rituals with its flexible features. The intuitive new control panel design and favourite programme feature can be started through the Home Connect app.

Design features

Ovens



CircoTherm®

With CircoTherm® hot air technology the fan draws air from the interior of the oven, then heats it up and forces it back into the cavity to ensure even heat distribution. The hot air wraps around each shelf focusing it directly on the food being cooked achieving even cooking on all levels.




Slide&Hide®

Our unique disappearing door slides smoothly under the cavity to give more room and freedom. Makes basting, tasting and monitoring easier than ever.



Shift Control

Offers the best of a high resolution display with a shift panel button for precise and easy navigation.



Pyrolytic Cleaning

To enjoy a spotless oven in minutes, simply press the button, wait and then wipe. Now you can spend less time cleaning and more time creating and entertaining.



FULL STEAM


Make your favourite dishes healthier by locking in food's nutrients and flavour with our Full Steam function. It's easy to operate and also simple to refill the one litre water container – press a button to open the front panel, remove the container, fill it and you're ready to steam ahead.



Vario Steam®

Vario Steam® gives dishes just the right amount of moisture by adding steam at three intensity levels, for baking, roasting or just heating up. Foods come out with more intense flavour and an appetising appearance.

Hobs




Flex Induction

Every cook has their own unique cooking style, so Flex Induction gives ultimate flexibility and control. This also means that you can enjoy even heat distribution across large cookware items such as griddle plates. Extended zones allow you to cook using accessories up to 40cm and pots up to 30cm in length.



Power Move

Divide the hob into three heat zones, each with a different power level. So now you can move a pot easily between intense heat at the front, simmering in the middle and a low, keep-warm temperature at the back.



Hob-Hood Control

Allows you to manage the settings for both the hob and hood, directly from the hob itself.



Frying Sensor

With five temperature settings, Frying Sensor monitors heat and holds it steady. So, there's no more burning and you enjoy the best possible results.



TwistPad Fire®


An innovative, removable magnetic control dial which stylishly illuminates.

Hoods



Guided Air Technology


Forget steamy kitchens with Glass Draft. Our powerful new Glass Draft Hoods pull steam and odours from all corners of the hob, with no limitations. No matter how ambitious your dish or how you use the cooking surface.



Easy Access Filter


Glass Draft Hoods feature filters that come to you when needed. No more reaching into the hood to remove them. At the push of a button, the filters are brought above the surface where they can be reached easily and placed in the dishwasher. Recirculation filters are placed just underneath again for easy access when the saturation indicators illuminate to notify you of servicing.

Dishwashers



Flex 3rd Basket

Sometimes all we need is a bit more space, even if it's temporary. With Flex 3rd Basket you can create more space for glasses, bowls and more. You even create extra room for dishes in the top and bottom baskets. Clever waves ensure that everything stays put, while your big knives are safe in the removable knife inlay. Additional protection blocks utensils from sliding out. Flex 3rd Basket can be easily swapped with Flex Cutlery Drawer.



Gap Illumination

Let your eyes follow the light bar on the side of your fully integrated high-built dishwasher. If Gap Illumination is on, the dishwasher is running. And if you open the door and pause the cycle, the light starts blinking.



Open Dry

Bye-bye manually opening the door of your dishwasher to allow the load to cool off. Open Dry takes care of that by opening the door automatically during the drying phase. Your dishes aren't just sparkling clean, they're also cool whenever you feel like unloading.



Vario Hinge

Vario Hinge offers the perfect solution for installations with limited clearance. Available on both models.



Home Connect – your new Favourite function

Sometimes we know exactly what we want – and having it saved makes life even easier. With Home Connect you can choose a programme, option, or combination on your dishwasher and save it as "Favourite", either via the app or directly on the dishwasher. Start your selection with a single push and enjoy the spare moments.

Single Ovens



TYPE	SLIDE & HIDE® SINGLE PYROLYTIC OVEN WITH STEAM		SLIDE & HIDE® SINGLE PYROLYTIC OVEN
NEFF COLLECTION	N90 VARIOSTEAM	N90 SOUSVIDE/FULLSTEAM	N90
BLACK GLASS WITH GRAPHITE GREY TRIM	B57VS22G0	B47FS22G0	B57CS24G0B
OPERATION / DESIGN FEATURES			
Full Touch with Large colour TFT Clear Text display	-	-	-
Shift Control, Medium colour TFT Clear Text display	●	●	●
Shift Control, Small TFT Clear Text display	-	-	-
NEFF Design Retractable controls, LCD display	-	-	-
Door type	Slide&Hide® with Rotating Handle	Slide&Hide® with Rotating Handle	Slide&Hide® with Rotating Handle
Soft open door	●	●	●
Suitable for SeamlessCombination® accessories	-	-	●
Electronic control	●	-	●
KEY FEATURES			
Home Connect	●	-	●
100% steam / Sous Vide function	-	●/●	-
Vario Steam / added Steam	●/	●/	-
NeffLight®	-	-	-
Multi Point temperature probe / meat probe	-	-	-
Baking and roasting assistant	●	●	●
Telescopic rail	-	-	1 x ComfortFlex
CLEANING FUNCTION			
Pyrolytic cleaning	●	●	●
EcoClean liners (Roof/Back/Sides)	-	Back	-
EasyClean / Base Clean	●/-	●/-	●/-
COOKING FUNCTIONS			
CircoTherm®	4D	4D	4D with Power Boost
CircoTherm® gentle / top & bottom heat gentle	●/●	●/●	●/●
Top/bottom heat / bottom heat only	●/●	●/●	●/●
Circo Roasting	●	●	●
Full surface grill / Centre surface grill	●/●	●/●	●/●
Bread baking	●	●	●
Low temperature cooking	●	●	●
CircoTherm® Intensive (Pizza Setting)	●	●	●
Defrost	●	●	●
Plate warming / Keep warm	●	●	-/-
Fast preheating	-	-	●
PERFORMANCE & TECHNICAL INFORMATION			
Energy efficiency index ¹	81.2	81.2	87.1
Energy efficiency class ¹	A+	A+	A
Energy consumption per cycle CircoTherm (kWh) ¹	0.69	0.69	0.74
Energy consumption per cycle conventional (kWh) ¹	0.87	0.87	0.9
Oven capacity ² (litres)	71	71	71
Time to cook standard load (mins) ¹	-	44	44
Largest baking sheet area (sq cm) ¹	1290	1290	1290
Total connected load (I/W / Fuse Rating)	-	-	3450 / 16
Cable length (cm)	-	-	120
Water tank capacity (litres)	-	-	-
STANDARD ACCESSORIES			
Wire shelves / Universal full width pan	1 / 1	2 / 1	2 / 1
Steam trays	-	-	-


SLIDE & HIDE® SINGLE PYROLYTIC OVEN	SINGLE PYROLYTIC OVEN	
N70	N90	N70
B57CR22G0B	B27CS24G0B	B27CR22G0B
OPERATION / DESIGN FEATURES		
-	-	-
-	●	-
●	-	●
-	-	-
Slide&Hide® with Rotating Handle	Drop Down Door	Drop Down Door
●	●	●
●	-	-
●	●	●
KEY FEATURES		
-	●	-
-	-	-
-	-	-
-	-	-
-	-	-
-	●	-
-	-	-
-	1 x ComfortFlex	-
CLEANING FUNCTION		
●	●	●
-	-	-
●/-	●/-	●/-
COOKING FUNCTIONS		
4D with Power Boost	4D with Power Boost	4D with Power Boost
●/●	●/●	●/●
●/●	●/●	●/●
●	●	●
●/●	●/●	●/●
●	●	●
●	●	●
●	●	●
-	●/●	-
-/-	-/-	-/-
●	●	●
PERFORMANCE & TECHNICAL INFORMATION		
81.2	87.1	81.2
A+	A	A+
0.69	0.74	0.69
0.87	0.9	0.87
71	71	71
44	44	44
1290	1290	1290
3450 / 16	3450 / 16	2990 / 13
120	120	120
-	-	-
STANDARD ACCESSORIES		
2 / 1	2 / 1	2 / 1
-	3	3

Compact Ovens



TYPE	COMPACT 45CM STEAM OVEN	COMPACT OVEN WITH MICROWAVE	
NEFF COLLECTION	N90	N90	N70
BLACK GLASS WITH GRAPHITE GREY TRIM	C17FS22G0	C17MS32G0B	C17MR02G0B
OPERATION			
Full Touch with Large colour TFT Clear Text display	-	-	-
Shift Control, Medium colour TFT Clear Text display	●	●	-
Shift Control, Small TFT Clear Text display	-	-	●
NEFF Design Retractable controls, LCD display	-	-	-
KEY FEATURES			
Soft close / open door	●/●	●/●	●/●
Hot Air cooking	-	●	●
Home Connect	●	●	-
Microwave / Microwave Combination Cooking	-	●/●	●/●
100% steam / Sous Vide Function	●/	-	-
VarioSteam®	●	-	-
Pyrolytic cleaning	-	-	-
EasyClean / Base Clean	●/●	●/●	-
EcoClean liners (Roof/Back/Sides)	roof, back, sides	roof, back, sides	-
Electronic control	●	●	●
MultiPoint Temperature Probe	-	-	-
Baking and roasting assistant	●	-	-
Suitable for SeamlessCombination® accessories	●	●	●
ADDITIONAL FUNCTIONS			
Hot Air gentle / top & bottom heat gentle	●/●	●/●	●/-
Top/bottom heat / bottom heat only	●/●	●/●	-
Fan & Grill	●	●	●
Full surface grill/ Centre surface grill	●/●	●/●	●/●
Bread baking	●	-	-
Low temperature cooking	●	●	-
Pizza setting	●	●	-
Defrost	●	-	-
Plate warming / Keep warm	●	●/-	●/-
Fast pre-heating	-	●	●
PERFORMANCE & TECHNICAL INFORMATION			
Energy efficiency index ¹	81.3	-	-
Energy efficiency class ¹	A+	-	-
Energy consumption per cycle CircoTherm (kWh) ¹	0.61	-	-
Energy consumption per cycle conventional (kWh) ¹	0.73	-	-
Oven capacity ¹ (litres)	47	45	45
Time to cook standard load (mins) ¹	41	-	-
Largest baking sheet area (sq cm) ¹	1290	1290	1290
Inverter technology ²	-	●	●
Maximum power Microwave (W) ³ / No. of power levels	-	900 / 5	900 / 5
Total connected load (W) / Fuse Rating	-	3600 / 16	3600 / 16
Cable length (cm)	-	150	150
Ceramic Glass Base	-	-	-
Water tank capacity litres	-	-	-
STANDARD ACCESSORIES			
Wire shelves / Universal Pan	1 / 1	1 / 1	1 / 1
Steam trays	-	-	-

Warming Drawer



TYPE	14CM HIGH WARMING DRAWER	29CM HIGH WARMING DRAWER
BLACK GLASS WITH GRAPHITE GREY TRIM	N17HH10G0B	N17HH20G0B
Design compatible with	N70 / N90 models	N70 / N90 models
KEY FEATURES		
Plate warming	●	●
Hold Warm	●	●
Defrost	●	●
Low temperature cooking	●	●
Accessory drawer	-	-
Operating indicator light	●	●
Electronic control	●	●
Rotary temperature control dial	●	●
Touch Control	-	-
Number of temperature settings	4	4
Maximum temperature (C°)	80	80
Minimum temperature (C°)	40	40
Toughened Glass Base	●	●
PERFORMANCE & TECHNICAL INFORMATION		
Install independently	●	●
Install with compact appliance	N70 / N90	N70 / N90
Install with a single oven	N70 / N90	N70 / N90
Push-Pull opening mechanism	●	●
Drawer interior volume (L)	20	52
Interior drawer dimensions HxWxD mm	95x468x458	242x468x458
Vacuum chamber dimensions HxWxD mm	-	-
Installation in tall housing or under work surface	●	●
Maximum weight capacity (kg)	25	25
Total connected loading (W)	810	0.81
Minimum fuse rating (Amps)	10	10
Cable length (in cm)	150	150
GB plug	●	●



Hobs



TYPE	FLEXINDUCTION HOBS			
	N90 – 90CM FLEXINDUCTION HOB		N9 0– 80CM FLEXINDUCTION HOB	
NEFF COLLECTION				
MODEL	T59FS5RX2		T68FS6RX2	
DESIGN				
Width (mm)	918mm		802mm	
Control position	Front		Front	
Control type	TwistPad Fire®		TwistPad Fire®	
Style	Front Bevel		Front Bevel	
KEY FEATURES				
Home Connect	●		●	
Hob-Hood Control	●		●	
5" Full Touch colour display with Dish Categories	-		-	
Power Move	3 stages		3 stages	
Automatic setting transfer	-		-	
Frying Sensor	5 settings		5 settings	
Power Boost	●		●	
Pan Boost	●		●	
Number of Flex Induction zones	2		2	
Extended Flex Induction zone	-		2	
Number of Combi Induction zones	-		-	
FEATURES				
Number of individual zones	5		4	
Power levels	17		17	
Digital display	●		●	
Timer with automatic switch off for each zone	●		●	
Count up Timer	●		●	
QuickStart	●		●	
Restart Function	●		●	
Energy Consumption Display	●		●	
Main on/off switch	●		●	
Quick-Off	-		-	
Pan Recognition	●		●	
Demo Mode	●		●	
Wipe Protection	●		●	
PERFORMANCE / TECHNICAL INFORMATION				
Nominal voltage (V)	220-240		220-240	
Maximum power output (W)	11,100		7,400	
Electrical cable length (cm)	110		110	
GB plug	-		-	
Rear left FlexInduction zone - power (kW) / dimensions (mm)	2.20	200x230	2.2	200x230
Rear left zone - power (kW) / diameter (mm)	-	-	-	-
Rear right FlexInduction zone - power (kW) / dimensions (mm)	2.20	200x230	2.2	200x230
Rear right zone - power (kW) / diameter (mm)	-	-	-	-
Rear centre zone - power (kW) / diameter (mm)	2.60	320x260	-	-
Front centre zone - power (kW) / diameter (mm)	-	-	-	-
Front left FlexInduction zone - power (kW) / dimensions (mm)	2.20	200x230	2.2	200x230
Front left zone - power (kW) / diameter (mm)	-	-	-	-
Front right FlexInduction zone - power (kW) / dimensions (mm)	2.20	200x230	2.2	200x230
Front right zone - power (kW) / diameter (mm)	-	-	-	-
FlexInduction zone left - power (kW) / dimensions (mm)	3.30	400x230	3.30	400x230
FlexInduction zone right - power (kW) / dimensions (mm)	3.30	400x230	3.30	400x230
Extended FlexInduction rear left - power (kW) / dimensions (mm)	-	-	3.30	300x300
Extended FlexInduction rear right - power (kW) / dimensions (mm)	-	-	3.30	300x300
CombiZone left - power (kW) / dimensions (mm)	-	-	-	-
CombiZone right - power (kW) / dimensions (mm)	-	-	-	-
Rear left zone - with powerBoost (max. kW)	3.70		3.70	
Rear right zone - with powerBoost (max. kW)	3.70		3.70	
Rear centre zone - with powerBoost (max. kW)	3.70		-	
Front centre zone - with powerBoost (max. kW)	-		-	
Front left zone - with powerBoost (max. kW)	3.70		3.70	
Front right zone - with powerBoost (max. kW)	3.70		3.70	

Glass Draft Hoods



TYPE	GLASS DRAFT HOODS	
	N90 – 90CM GLASS DRAFT HOOD	N90 – 80CM GLASS DRAFT HOOD
NEFF COLLECTION	BLACK WITH CLEAR GLASS	BLACK WITH CLEAR GLASS
COLOUR	BLACK WITH CLEAR GLASS	BLACK WITH CLEAR GLASS
MODEL	I98WMM1S7B	I88WMM1S7B
SPECIAL FEATURES		
Seamless installation to NEFF Collection Induction Hobs	●	●
Home Connect	●	●
Guided Air	●	●
Adjustable LED White Colour Temperature	-	-
Ambient Light	●	●
Climate Control Sensor	●	●
Hob-Hood control	●	●
EfficientDrive	●	●
Intensive setting / Automatic intensive revert ¹	●	●
Boost Position (Angled & Flat Hoods)	-	-
NEFF Silence Function	-	-
Filter Saturation Indicator	●	●
Filter Service Position	●	●
FEATURES		
Suitable for ducted operation / recirculating	●	●
Electronic power level display	-	-
Power levels	3 + 2 Intensive	3 + 2 Intensive
NEFF Fresh Air (Interval operation)	●	●
Automatic after running (minutes)	10	10
Lighting	Glass rim illumination	Glass rim illumination
Softlight with dimmer function	-	-
Number of metal grease filter cassettes	2	2
Type of control	Touch Control	Touch Control
OPTIONAL ACCESSORIES ²		
Long Life Regenerative Recirculation Kit (10 Year)	Z92WWJ12	Z92WWJ11
CleanAir Plus Anti-Pollen Recirculation Kit	Z92WWI1X7	Z92WWI1X6
Regenerative Recirculation Kit (2 year)	-	-
Seamless Installation Kit	Z92WWY9X2	Z92WWY8X2
Remote Motor Installation Mounting Kit	Z92WWM11	Z92WWM11
PERFORMANCE & TECHNICAL INFORMATION		
Appliance width (mm)	918	802
Extraction Rate in m ³ /h ^{3,4}		
Power level 1 - ducted / recirculating	223 / 170	223 / 170
Power level 2 - ducted / recirculating	378 / 362	378 / 362
Power level 3 - ducted / recirculating	501 / 447	501 / 447
Intensive level 1 - ducted / recirculating	620 / 501	620 / 501
Intensive level 2 - ducted / recirculating	775 / 562	775 / 562
Noise level (sound power) based on dB(A) re 1 pW ^{3,5}		
Power level 1 - ducted / recirculating	39 / 43	39 / 43
Power level 2 - ducted / recirculating	56 / 60	56 / 60
Power level 3 - ducted / recirculating	62 / 65	62 / 65
Intensive level 1 - ducted / recirculating	67 / 67	67 / 67
Intensive level 2 - ducted / recirculating	70 / 70	70 / 70
Extension Height (mm)	250	250
Pipe outlet diameter (mm)	150	150
Minimum distance to an electric hob / gas hob ⁶ (mm)	0 / Not Compatible	0 / Not Compatible
GB plug	●	●
Energy Rating	A	A

¹ Power automatically reverts back to normal setting after intensive.

² A type of recirculating kit is required if recirculating.

³ Air Flow and noise declarations made in line with CECEC Code of Conduct.

⁴ Measured according to EN61591 on largest pipe diameter.

⁵ Sound power measured according to EN60704-3 on largest pipe diameter.

⁶ From top of pan supports. Depending on the model, a 'Recirculating odour filter kit' will consist of the following items: Charcoal filter, flexible hose, air duct, fixing components, installation instructions.

Angled Hood



TYPE	ANGLED
NEFF COLLECTION	N90 – 90CM HOOD
BLACK CHIMNEY AND GLASS WITH GRAPHITE GREY TRIM	D96IMW1G1
SPECIAL FEATURES	
Home Connect	●
Adjustable LED White Colour Temperature	●
Ambient Light	●
Climate Control Sensor	●
Hob-Hood control	●
EfficientDrive	●
Intensive setting / Automatic intensive revert ¹	●/●
Boost Position (Angled & Flat Hoods)	●
NEFF Silence Function	●
Filter Saturation Indicator	●
FEATURES	
Suitable for ducted operation / recirculating	●/●
Electronic power level display	●
Power levels	3 + 2 Intensive
NEFF Fresh Air (Interval operation)	●
Automatic after running (minutes)	10
Lighting	2 x LED lights
Softlight with dimmer function	●
Number of metal grease filter cassettes	2
Type of control	Touch Control
OPTIONAL ACCESSORIES ²	
Standard Recirculation Kit	Z51AIU0X0
Standard Recirculation Kit (Chimless Installation)	Z51AIT0X0
CleanAir Plus Anti-Pollen Recirculation Kit	Z51AI1X6
CleanAir Plus Anti-Pollen Recirculation Kit (Chimless Installation)	Z51AI1X6
Long Life Regenerative Recirculation Kit	Z51AIS0X0
Long Life Regenerative Integrated Recirculation Kit	-
Long Life Regenerative Recirculation Kit (Chimless Installation)	Z51AIR0X0
Black Chimney	Z91AXE1S1
PERFORMANCE / TECHNICAL INFORMATION	
Appliance width (mm)	890
Extraction Rate in m ³ /h ^{3,4}	
Power level 1 - ducted / recirculating	293 / 221
Power level 2 - ducted / recirculating	342 / 333
Power level 3 - ducted / recirculating	467 / 459
Intensive level 1 - ducted / recirculating	612 / 579
Intensive level 2 - ducted / recirculating	837 / 703
Noise level (sound power) based on dB(A) re 1 pW ^{3,5}	
Power level 1 - ducted / recirculating	43 / 47
Power level 2 - ducted / recirculating	47 / 58
Power level 3 - ducted / recirculating	55 / 65
Intensive level 1 - ducted / recirculating	61 / 72
Intensive level 2 - ducted / recirculating	67 / 77
Pipe outlet diameter (mm)	150/120
Minimum distance above an electric hob / gas hob ⁶ (mm)	450 / 600
GB plug	●
Energy Rating	A+

¹ Power automatically reverts back to normal setting after intensive.

² A type of recirculating kit is required if recirculating.

³ Air Flow and noise declarations made in line with CECEC Code of Conduct.

⁴ Measured according to EN61591 on largest pipe diameter.

⁵ Sound power measured according to EN60704-3 on largest pipe diameter.

⁶ From top of pan supports. Depending on the model, a 'Recirculating odour filter kit' will consist of the following items: Charcoal filter, flexible hose, air duct, fixing components, installation instructions.

Coffee Machine



TYPE	COFFEE CENTRE
BLACK GLASS WITH GRAPHITE GREY TRIM	C17KS61G0
OPERATION	
Shift Control, Medium colour TFT Clear Text display	●
Design compatible with	N90/N70
KEY FEATURES	
Home Connect	●
Electronic control	●
SensoFlow System	●
Aroma pressure system	●
Auto Valve System	●
AromaDoubleShot	●
Automatic steam blast milk cleaning function	●
Ceramic coffee grinders	●
Multilevel grinding setting	●
Cup illumination	●
Height adjustable milk & coffee outlets (mm)	7-15
Adjustable automatic switch off setting	●
Integrated water filter	●
PROGRAMMES / FUNCTIONS	
Personalised beverage settings	1 or 2 cup
Milk foam	1 or 2 cup
Hot water	1 or 2 cup
Warm milk	1 or 2 cup
Ristretto	1 or 2 cup
Coffee	1 or 2 cup
Espresso	1 or 2 cup
Cappuccino	1 or 2 cup
Latte Macchiato	1 or 2 cup
Caffe Latte	1 or 2 cup
Espresso Macchiato	1 or 2 cup
One touch function for milk drinks	●
Coffee / Hot Water temperature options	3 / 4
Milk foam / frothing function	●/●
Warm Milk function	●
Cleaning / descaling / programmes	●/●
Automatic rinse when switched on/off	●/●
PERFORMANCE & TECHNICAL INFORMATION	
Installation in a tall housing	950-1450mm high
Left hinged door to access interior	●
Brewing chamber volume (g)	8-12
Bean container capacity (g)	500
Ground coffee container	●
Water tank capacity (litres)	2.4
Total connected loading (W)	1600
Cable length (cm)	170
ACCESSORIES	
Insulated Milk container capacity (litres)	0.5
Milk pipe	●
Coffee scoop	●

Dishwashers



TYPE	60CM FULLY INTEGRATED DISHWASHERS	
NEFF COLLECTION	N90 - DISHWASHER WITH 81.5CM VARIOHINGE	N90 - DISHWASHER WITH 86.5CM VARIOHINGE
MODEL	S199YB801E	S299YB801E
Control panel colour	Black	Black
Height (cm) / Hinge type	81.5, Vario Hinge	86.5, Vario Hinge
DESIGN FEATURES		
Drying system	Zeolith / openDry	Zeolith / openDry
Home Connect WiFi connectivity	●	●
Control panel type	Touch Control + TFT	Touch Control + TFT
Basket description	Flex 3	Flex 3
Flex Drawer / Flex 3rd Basket (3rd loading level)	Flex 3rd Basket (Retrofit)	Flex 3rd Basket (Retrofit)
Status indicator	Gap Illumination	Gap Illumination
Door open assist	●	●
Glass care system	●	●
Adjustable upper basket ⁶	3-stage Rackmatic™	3-stage Rackmatic™
Number of flip tines in upper / lower basket	-	-
Cup shelves upper/ lower baskets	-	-
Cutlery holder lower basket	-	-
Largest loadable dish upper ⁷ / lower basket (cm)	●	●
Load / Aqua sensor	●	●
Real-time clock	●	●
Start delay time max hours	24	24
Emotion light (interior lighting)	●	●
End of cycle indicator	Acoustic	Acoustic
Salt / Rinse aid light indicator	●/●	●/●
Self cleaning filter system	●	●
Flood protection system	AquaStop 24h	AquaStop 24h
Safety features	Door lock	Door lock
PROGRAMMES / FUNCTIONS		
List of programmes	Eco 50 °C, Auto 45-65 °C, Chef 70 °C, Classic 60 °C, Express 45 °C, Glass 40 °C, Silence 50 °C, Favourite, Easy Clean	Eco 50 °C, Auto 45-65 °C, Chef 70 °C, Classic 60 °C, Express 45 °C, Glass 40 °C, Silence 50 °C, Favourite, Easy Clean
Additional special options	Remote Start, Extra Shine, Power Zone, Extra Hygiene, Extra Speed	Remote Start, Extra Shine, Power Zone, Extra Hygiene, Extra Speed
Intelligent programme	●	●
Duration of Quick Wash programme	35	35
TECHNICAL SPECIFICATIONS		
Reference programme for measurements	Eco 50 °C	Eco 50 °C
Energy efficiency class ¹	B	B
Energy ² / water ³ : kWh / litres	64 / 9.5	64 / 9.5
Load capacity (place settings)	13	13
Programme duration ⁴ : h:min	3:55	3:55
Noise level: dB (A) re 1 pW	43	43
Noise efficiency class	B	B
Noise level (silence programme): dB (A) re 1 pW	41	41
Length of electrical supply cord (cm)	175	175
Length inlet / outlet hose (cm)	165 / 190	165 / 190
Maximum height for installation (mm)	875	925
Maximum height adjustability feet (mm)	60	60
Maximum width for installation (mm)	600	600
Height of the product (mm)	815	865
Width / Depth of the product (mm)	598 / 550	598 / 550
Net weight / Gross weight (kg)	45 / 47	46 / 48
Water softener ⁵	●	●
Maximum accepted water hardness (DH)	50°DH	50°DH
Maximum temperature for water intake (°C)	60	60
Interior cavity	Stainless steel	Stainless steel
Included accessories	Steam protection plate, Decorative strips (stainless steel)	Steam protection plate, Decorative strips (stainless steel)
EAN code	4242004254072	4242004254089

● Yes, model has this feature. - Feature not available for this model.

¹ On an energy-efficiency class scale from A to G

² Energy consumption in kWh/100 operating cycles (using Eco programme)

³ Water consumption in litres/operating cycle (using Eco programme)

⁴ Duration of Eco programme

⁵ We would recommend our dishwashers are connected to the mains water supply where possible. However, they may also be connected to an external water softener as long as the water softener produces softened water of less than 1.1 mmol/litre (7.0°e) and the water softener in the appliance is turned off. Please contact product advice for further information. Water pressure required: 0.5-10 Bar. Flow rate: 10 litres per minute. Inlet valve connected directly to ¾" screwed joint.

⁶ Adjustable upper basket is 2-stage Rackmatic™ when Flex 3rd Basket is installed

⁷ Largest loadable dish height in upper basket will be smaller when Flex 3rd Basket is installed

Data valid in this table as of April 2022. Subject to modification without prior notice.





We're very social

Join our cooking communities for all the latest recipe ideas, tips, advice and product news.

 @NEFFHomeUK  @NEFFHomeUK  @NEFFHomeUK  @NEFFHomeUK

Search for #NEFFpassion



Scan here for
NEFF Inspiration



Scan here for
The Ingredient



NEFF Customer Service
Grand Union House
Old Wolverton Road
Milton Keynes
Buckinghamshire
MK12 5ZR

BSH Home Appliances Ltd.
M50 business Park
Ballymount
Dublin 12
T 1890 626 041
www.neff-home.com/ie

NEFF, a division of
BSH Home Appliances Ltd.
Grand Union House
Old Wolverton Road
Wolverton
Milton Keynes
MK12 5PT
www.neff-home.com/uk



COOKING PASSION SINCE 1877