





Keep *warm* with affordable *luxury & precision* engineering

Welcome to the Redroom collection of heating products, where you can find the perfect heating solution for your home. The Redroom radiators are designed to be a focal point of the bathroom and enhance any space with elegance and style.

Made with precision engineering and high-quality materials, each radiator delivers excellent heat output and outstanding long-lasting performance. The Redroom radiators blend seamlessly with your bathroom décor, simply choose from a variety of designs, sizes and finishes to suit your style and create the perfect cosy space.



REDROOM
Heating Products

KIND

to the environment

With the Redroom collection, you can feel confident knowing that our products are manufactured to the highest standards. Our supply chain prioritises high-quality products that not only look fantastic in your bathroom but also have a positive impact on the environment.

The Redroom collection includes beautifully crafted painted radiators that provide a higher heat output than standard chrome radiators, providing warmth and better heat efficiency. The collection also includes electric radiators that are very efficient in converting electricity into heat and in conjunction with solar panels can reduce heating costs. Redroom products that fall within the scope of the Eco Design Directive offer quality performance with efficient controls to help reduce unnecessary energy wastage and running costs.



Within our warehouse, the (Material Handling Equipment) MHE fleet is electric. Lighting within the warehouse is censored. All plastic and cardboard are baled and recycled. The use of polystyrene is now limited within packaging and replaced with cardboard across most suppliers.

From the use of high-quality materials, to energy-saving designs, the Redroom collection looks amazing in your home and will last for years to come.

Our Promise



Affordable Luxury with Precision Engineering

Why Buy a Redroom Radiator?

- 5 year guarantee
- 2 year guarantee on electric radiators
- Steel made radiators
- Competitive prices
- Available in the most popular styles and sizes
- All outputs tested to European standard EN442
- High quality material and engineering
- All products are CE approved
- IR options



All radiators EN442 tested for output



All products are CE approved



STEEL MADE RADIATORS



For full details of Redroom guarantees scan the QR code



Contents

- 06** Crescendo
- 10** Elite
- 14** Elite Electric
- 16** Omnia
- 20** TT
- 22** TT Lux
- 28** Azor
- 32** Baxx
- 36** Supernovar
- 42** Elan
- 48** Elan Electric
- 52** Accessories
- 54** Valves
- 58** Immersion Heater
Easy (IHE)
- 59** How To Specify
Your Radiator
- 60** Underfloor Heating
- 64** Thermostat Controls


Contemporary,
sleek ladder
design

A great choice for
modern bathrooms



Matt Black





Crescendo

Matt Black & Anthracite

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
CRS100050	1062	500	379	200	1293	£211.91
CRS140050	1372	500	468	300	1597	£226.19
CRS170050	1722	500	563	400	1921	£238.80

Add colour code to the end of the code to specify colour: **Anthracite** 0346 | **Matt Black** 0557

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.

Pipe centres from wall: 56-96mm | Pipe centres: 462mm



Accessories available See **page 52**

See **page 54** for co-ordinating valves

See **page 58** for IHE packs


**Add Function
and style to
the bathroom**

Designed to provide
the functionality
needed in a bathroom



Quartz White





Crescendo

Quartz White

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
CRS1000500521	1062	500	379	200	1293	£211.91
CRS1400500521	1372	500	468	300	1597	£226.19
CRS1700500521	1722	500	563	400	1921	£238.80

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.

←→ Pipe centres from wall: 56-96mm | Pipe centres: 462mm



Accessories available
See page 52



See page 54 for co-ordinating valves



See page 58 for IHE packs



Bringing a warm,
luxurious touch to
any space

A multi-rail design
adding elegance
and value

Brushed Brass








Elite

Brushed Brass

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
ELT080050N230	800	500	338	200	1153	£226.80
ELT120050N230	1200	500	480	300	1638	£286.80
ELT160050N230	1600	500	644	400	2197	£346.80
ELT180050N230	1800	500	735	400	2508	£358.80

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.

▬▬▬ Pipe centres from wall: 75-85mm | Pipe centres: 500mm Wide: 456mm.



Accessories available
See [page 52](#)



See [page 54](#) for
co-ordinating
valves



See [page 58](#) for
IHE packs

Now
available
in Chic
Matt Black

The perfect radiator
for a contemporary
bathroom



Matt Black



Elite


Anthracite / Matt Black

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
ELT08004	800	400	283	200	966	£121.43
ELT08005	800	500	338	200	1153	£127.19
ELT08006	800	600	394	200	1344	£138.77
ELT12004	1200	400	402	300	1372	£165.72
ELT12005	1200	500	480	300	1638	£171.52
ELT12006	1200	600	557	400	1900	£181.14
ELT16005	1600	500	644	400	2197	£235.13
ELT16006	1600	600	755	400	2576	£244.98
ELT18005	1800	500	735	400	2508	£258.38
ELT18006	1800	600	854	600	2914	£268.46

 Add colour code to the end of the code to specify colour: **Anthracite** 0346 | **Matt Black** 9205

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.

 **Pipe centres from wall:** 75-85mm | **Pipe centres:** 400mm Wide: 356mm, 500mm Wide: 456mm, 600mm Wide: 556mm



 Also available in electric
See **page 15**

 Accessories available
See **page 52**

 See **page 54** for co-ordinating valves

 See **page 58** for IHE packs

Adjustable Thermostatic Controller

With multiple heating
options for a perfect
ambient temperature,
day or night



Matt Black

Elite Electric

IPX4
RATED

Adjustable Thermostat Controller Matt Black

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Price
ELTE08040MF9205	800	400	300	£326.34
ELTE12050MF9205	1200	750	£384.02	
ELTE12060MF9205	1200	600	750	£394.62

For electric only. Not connected to hot water central heating systems.

OPERATING MODES



Comfort

Set ambient temperature for daytime



Night

Set the temperature lower for night







2 Hour Boost

Heat bathroom rapidly or to quickly dry towels



7 Day Programmer

Set a daily or weekly heat program




Adjustable thermostatic controller



Accessories
available
See **page 52**

Stylish and Functional



As well as looking great, it is open at one side, making it easy to slip towels on and off



White

Omnia


White



Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
OMNIA - Left Hand						
OML120050	1161	496	547	400	1867	£345.61
OML120060	1161	596	628	400	2143	£368.23
OML170050	1681	496	778	400	2655	£415.36
OML170060	1681	596	894	600	3051	£449.87
OMNIA - Right Hand						
OMR120050	1161	496	547	400	1867	£345.61
OMR120060	1161	596	628	400	2143	£368.23
OMR170050	1681	496	778	400	2655	£415.36
OMR170060	1681	596	894	600	3051	£449.87

Pipe centres from wall: 41mm | Pipe centres: 50mm

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.



Left Hand

Right Hand



Accessories available
See [page 52](#)



See [page 54](#) for
co-ordinating
valves



See [page 58](#) for
IHE packs

Easy to Slip Towels On and Off

The Omnia is designed
with both style and
functionality in mind




Quartz Beige



Omnia

Titane / Quartz Beige / Anthracite / Matt Black




Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
OMNIA - Left Hand						
OML120050	1161	496	547	400	1867	£384.01
OML120060	1161	596	628	400	2143	£409.15
OML170050	1681	496	778	400	2655	£461.48
OML170060	1681	596	894	600	3051	£499.85
OMNIA - Right Hand						
OMR120050	1161	496	547	400	1867	£384.01
OMR120060	1161	596	628	400	2143	£409.15
OMR170050	1681	496	778	400	2655	£461.48
OMR170060	1681	596	894	600	3051	£499.85

Add colour code to the end of the code to specify colour: **Titane** 335 | **Quartz Beige** 523 | **Anthracite** 346 | **Matt Black** 0557

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.

Pipe centres from wall: 41mm | Pipe centres: 50mm



Left Hand

Right Hand

Accessories available
See [page 52](#)

See [page 54](#) for co-ordinating valves

See [page 58](#) for IHE packs

Excellent Style and Value

Available in three bold
finishes to add the wow
factor to any bathroom



Titane



TT




Titane / Quartz Beige / Anthracite

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
TT07005005	675	496	347	200	1183	£193.08
TT10005005	1035	496	518	300	1766	£228.43
TT14005005	1355	496	666	400	2271	£261.34
TT14006005	1355	596	786	400	2680	£285.96
TT16005005	1635	496	795	400	2710	£286.64
TT16006005	1635	596	938	600	3198	£316.66

 Add colour code to the end of the code to specify colour: **Titane 335** | **Quartz Beige 523** | **Anthracite 346**

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.

 **Pipe centres from wall: 37mm** | **Pipe centres: 496mm Wide: 458mm, 596mm Wide: 558mm**



Accessories available
See **page 52**



See **page 54** for
co-ordinating
valves



See **page 58** for
IHE packs

**Designed to
be the
Focal Point**

Trend led finish and
contemporary design

Bronze Painted



TT LUX



Blue Night / Bronze Painted

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
TTL14005005	1355	496	666	400	2272	£282.23
TTL16005005	1635	795	600	2713	£309.60	

 Add colour code to the end of the code to specify colour: **Blue Night 289** | **Bronze Painted 276**

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.

 Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm



Accessories available
See **page 52**



See **page 54**
for valves



See **page 58** for
IHE packs

**Bold Style,
Exceptional
Value**


The TT Lux offers a
bespoke feel to any
bathroom

Inox



TT Lux

Inox



Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
TTL14005005332	1355	496	666	400	2272	£282.23
TTL16005005332	1635	496	795	600	2713	£309.60

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.

Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm



Accessories available
See [page 52](#)



See [page 54](#)
for valves



See [page 58](#) for
IHE packs

**Form,
Function,
Ultramodern
Finish**

Now available in
glistening Quartz White



Matt Black



TT LUX






Matt Black / Quartz White

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
TTL07005005	675	496	347	200	1184	£208.52
TTL10005005	1035	496	518	300	1767	£246.71
TTL14005005	1355	496	666	400	2272	£282.23
TTL14006005	1355	596	786	400	2682	£308.83
TTL16005005	1635	496	795	400	2713	£309.60
TTL16006005	1635	596	938	600	3200	£341.99

 Add colour code to the end of the code to specify colour: **Quartz White 521** | **Matt Black 557**

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.

 **Pipe centres from wall: 37mm** | **Pipe centres: 496mm Wide: 458mm, 596mm Wide: 558mm**



Quartz White



Accessories available
See **page 52**



See **page 54** for
co-ordinating
valves



See **page 58** for
IHE packs

Stylish and Modern

Excellent heat output due to larger surface area



White



Azor

White

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
AZO080050	800	500	324	200	1105	£276.07
AZO120050	1200	500	476	300	1624	£353.83
AZO160050	1600	500	647	400	2208	£481.60

--- Pipe centres from wall: 65mm | Pipe centres: 468mm

Chrome

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
AZOC08050	800	500	203	200	689	£338.68
AZOC120050	1200	500	302	200	1034	£443.29
AZOC160050	1600	500	395	300	1344	£597.66

--- Pipe centres from wall: 65mm | Pipe centres: 468mm

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.



Accessories available
See page 52



See page 54 for
co-ordinating
valves



See page 58 for
IHE packs

Higher Heat Output than Chrome

Providing you with more warmth and better heat efficiency



Matt Black



Azor


Anthracite / Matt Black

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
AZO080050	800	500	324	200	1105	£283.90
AZO120050	1200	500	476	300	1624	£373.56
AZO160050	1600	500	647	400	2208	£512.99

 Add colour code to the end of the code to specify colour: **Anthracite 346** | **Matt Black 557**

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.

 Pipe centres from wall: 65mm | Pipe centres: 468mm



Accessories available
See [page 52](#)



See [page 54](#) for
co-ordinating
valves



See [page 58](#) for
IHE packs



Wow Factor

Square styling and bold design add the wow factor to your modern bathroom



Chrome









Baxx

Chrome

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
BAXC080050	800	500	197	200	672	£323.76
BAXC100050	1000	500	249	200	850	£378.53
BAXC120050	1200	500	301	200	1027	£438.30
BAXC140050	1400	500	346	200	1181	£512.99
BAXC160050	1600	500	391	200	1334	£587.68

Pipe centres from wall: 65-90mm | Pipe centres: 470mm

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.



See [page 54](#) for coordinating valves



See [page 58](#) for IHE packs

Stunning Radiator

Baxx Anthracite is the ideal choice for modern neutral colour schemes




Anthracite



Baxx

Anthracite



Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
BAX080050346	800	500	306	200	1044	£289.15
BAX100050346	1000	500	384	200	1310	£343.54
BAX120050346	1200	500	461	300	1573	£399.86
BAX140050346	1400	500	537	300	1832	£475.96
BAX160050346	1600	500	612	400	2088	£535.33

--- Pipe centres from wall: 65-90mm | Pipe centres: 470mm

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.




See [page 54](#) for co-ordinating valves



See [page 58](#) for IHE packs

Modern
Space
Saving
Style



White







Supernovar Vertical

White

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	BTU $\Delta T50$	Price
Single Panel					
SNV180029	1800	296	568	1938	£344.00
SNV180044	1800	444	852	2907	£460.21
SNV180059	1800	592	1136	3876	£576.41
Double Panel					
SNVD180029	1800	296	836	2852	£556.51
SNVD180044	1800	444	1254	4279	£767.52
SNVD180059	1800	592	1672	5705	£978.49

 Pipe centres from wall: 37mm |
  Pipe centres: 444mm Wide: 458mm



 Accessories available
 See [page 52](#)

 See [page 54](#) for
 co-ordinating valves



**Bold style
and efficient
warmth**





Available in single or
double panel

Anthracite



Matt Black





Supernovar Vertical

Anthracite / Matt Black

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	BTU $\Delta T50$	Price
Single Panel					
SNV1800290	1800	296	568	1938	£438.00
SNV1800440	1800	444	852	2907	£585.00
SNV1800590	1800	592	1136	3876	£732.00
Double Panel					
SNVD1800290	1800	296	836	2852	£718.50
SNVD1800440	1800	444	1254	4279	£991.50
SNVD1800590	1800	592	1672	5705	£1,264.50
 Add colour code to the end of the code to specify colour: Anthracite 346 Matt Black 557					
 Pipe centres from wall: 37mm Pipe centres: 444mm Wide: 458mm					



Accessories available
See page 52



See page 54 for
co-ordinating valves

**Modern
Functional
Column
Design**



White

Supernovar Horizontal

White



Single Panel




Double Panel



Single Panel



Double Panel



Code	Height (mm)	Width (mm)	Watts $\Delta T50$	BTU $\Delta T50$	Price
Single Panel					
SNH059080	592	800	532	1815	£353.17
SNH059100	592	1000	665	2269	£392.92
SNH059120	592	1200	798	2723	£432.68
Double Panel					
SNHD059060	592	600	641	2187	£513.72
SNHD059080	592	800	855	2917	£580.98
SNHD059100	592	1000	1069	3647	£649.78
SNHD059120	592	1200	1283	4378	£718.57
--- Pipe centres from wall: 42-66mm Pipe centres: 600mm Wide: 532mm/ 800mm Wide: 732mm/ 1000mm Wide: 932mm/ 1200mm Wide: 1132mm					



Double panel



Accessories available
See [page 52](#)



See [page 54](#) for
co-ordinating valves



Good Looks


The Elan Straight's contemporary styling looks good in any bathroom

Chrome



Elan Straight

Chrome



Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
ELNC060040	600	400	151	200	515	£180.85
ELNC060080	600	800	280	200	955	£290.93
ELNC060100	600	1000	345	200	1177	£311.38
ELNC080040	800	400	177	200	604	£157.67
ELNC080050	800	500	218	200	744	£166.07
ELNC080060	800	600	258	200	880	£176.60
ELNC100050	1000	500	287	200	979	£223.31
ELNC120040	1200	400	260	200	887	£227.05
ELNC120050	1200	500	315	200	1075	£235.44
ELNC120060	1200	600	370	300	1262	£245.95
ELNC160030	1600	300	300	200	1024	£273.64
ELNC160050	1600	500	427	300	1457	£336.38
ELNC160060	1600	600	506	300	1726	£344.81
ELNC180030	1800	300	320	200	1092	£301.94
ELNC180050	1800	500	484	300	1651	£374.21
ELNC180060	1800	600	574	400	1958	£384.72
ELNC180075	1800	750	741	400	2527	£413.59

--- Pipe centres from wall: 75-85mm | Pipe centres: 400mm Wide: 356mm / 500mm
Wide: 456mm / 600mm Wide: 556mm

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.



Also available
in electric
See [page 49](#)



Accessories
available
See [page 52](#)



See [page 54](#) for
co-ordinating
valves



See [page 58](#) for
IHE packs

More Warmth

White radiators give up to 30% more heat output than chrome




White



Elan Straight

White



Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
ELN080040	800	400	283	200	966	£132.44
ELN080050	800	500	338	200	1153	£138.77
ELN080060	800	600	394	200	1344	£151.38
ELN120040	1200	400	402	300	1372	£180.77
ELN120050	1200	500	480	300	1638	£187.12
ELN120060	1200	600	557	400	1900	£197.62
ELN160050	1600	500	644	400	2197	£256.50
ELN160060	1600	600	755	400	2576	£267.24
ELN180050	1800	500	735	400	2508	£281.88
ELN180060	1800	600	854	600	2914	£292.88

--- Pipe centres from wall: 75-85mm | Pipe centres: 400mm Wide: 356mm / 500mm
Wide: 456mm / 600mm Wide: 556mm

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.



Accessories available
See page 52



See page 54 for
co-ordinating
valves



See page 58 for
IHE packs







Extra Space

With slightly bowed rails, the Elan Curved in chrome offers extra space to hang your towels

Chrome





Elan Curved

Chrome

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	IR* (optional)	BTU $\Delta T50$	Price
ELNTC080050	800	500	218	200	744	£172.38
ELNTC080060	800	600	258	200	880	£182.89
ELNTC120050	1200	500	315	200	1075	£241.78
ELNTC120060	1200	600	370	200	1262	£252.26
ELNTC180050	1800	500	484	300	1651	£380.53
ELNTC180060	1800	600	574	400	1958	£393.11

 Pipe centres from wall: 60-75mm | Pipe centres: 500mm Wide: 456mm / 600mm Wide: 556mm

*Please note IR refers to Immersion Rating. See Immersion Heater Easy - IHE on page 58.



Chrome



Accessories available
See [page 52](#)



See [page 54](#) for
co-ordinating
valves



See [page 58](#) for
IHE packs

Chrome

Adjustable Thermostatic Controller

With multiple heating
options for a perfect
ambient temperature,
day or night




Elan Electric



Adjustable Thermostat Controller Chrome

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Price
ELNEC12050MF	1200	500	300	£580.27
ELNEC12060MF	1200	600	400	£596.00

For electric only. Not connected to hot water central heating systems.



OPERATING MODES



Comfort

Set ambient temperature for daytime



Night

Set the temperature lower for night



2 Hour Boost

Heat bathroom rapidly or to quickly dry towels



7 Day Programmer

Set a daily or weekly heat program



Accessories available
See **page 52**

Perfect for the Modern Home

Easy to install, energy
efficient and can heat
your towels when your
central heating is off



Chrome




2 Year
Guarantee
ELECTRIC RADIATORS

Elan Electric

Simple Immersion Heater Chrome

Code	Height (mm)	Width (mm)	Watts $\Delta T50$	Price
ELNEC08040F	821	400	200	£416.12
ELNEC09050F	941	500	200	£425.75
ELNEC12050F	1261	500	200	£500.90
ELNEC12060F	1261	600	300	£506.71
ELNEC18050F	1901	500	400	£624.19
ELNEC18060F	1901	600	500	£632.80




 Accessories
 available
 See [page 52](#)

Practical
Solutions
that look
Great too





Handy Magnetic Towel Rail

HDY1C 380mm (Overall length 440mm) Chrome **£119.81**
 Max weight capacity 5KG



Hooky Towel Hook

HOO3C Suitable for Elite & Elan Chrome **£16.22**



Hangy Magnetic Towel Hook

HAG2C Chrome **£36.19**
 Max weight capacity 3KG



Hangy Clamp Fixing Towel Hook

HAG1C Chrome **£13.73**

Match your
Valves to
your Radiator



2 Year
Guarantee
VALVES

Manual Radiator Valves 15mm

Angled Round Valve Pack

RRV1C	Chrome	£29.28
RRV1A	Anthracite	£31.93
RRV1B	Black	£31.93
RRV1V	Volcanic	£31.93
RRV1W	White	£31.93
RRV1BB	Brushed Brass	£31.93
RRV1BR	Brushed Bronze	£44.12
RRV1GM	Gunmetal	£44.12
RRV1N	Brushed Nickel	£44.12



Straight Round Valve Pack

RRV2C	Chrome	£29.28
RRV2A	Anthracite	£31.93
RRV2B	Black	£31.93
RRV2V	Volcanic	£31.93
RRV2W	White	£31.93
RRV2BB	Brushed Brass	£31.93
RRV2BR	Brushed Bronze	£44.12
RRV2GM	Gunmetal	£44.12
RRV2N	Brushed Nickel	£44.12



Corner Round Valve Pack

RRV3C	Chrome	£50.56
RRV3A	Anthracite	£53.21
RRV3B	Black	£53.21
RRV3V	Volcanic	£53.21
RRV3W	White	£53.21
RRV3BB	Brushed Brass	£53.21
RRV3BR	Brushed Bronze	£62.03
RRV3GM	Gunmetal	£62.03
RRV3N	Brushed Nickel	£62.03



Colour keys are for guidance only and are not representative of the actual colour.

Square Manual Radiator Valves 15mm



Angled Square Valve Pack
RRV4C Chrome **£51.88**



Straight Square Valve Pack
RRV5C Chrome **£51.88**



Corner Square Valve Pack
RRV6C Chrome **£66.52**

Square Valves
Look Great
With Baxx And
Supernovar

Angled Manual Dual Fuel Valves



RRV10C Chrome **£77.88**



RRV10A Anthracite **£77.88**



RRV10BB Brushed Brass **£77.88**



RRV10B Black **£77.88**

Classic Thermostatic Radiator Valves 15mm



Classic Angled Thermostatic Valve Pack
RRCLV1C Chrome **£84.19**



Classic Angled Thermostatic Valve Pack
RRCLV1SN Satin Nickel **£84.19**



Classic Angled Thermostatic Valve Pack
RRCLV1AB Antique Brass **£101.04**



Classic Angled Thermostatic Valve Pack
RRCLV1C Copper **£111.28**



Classic Angled Thermostatic Valve Pack
RRCLV1BB Brushed Brass **£111.28**

Traditional Thermostatic Radiator Valves 15mm



Traditional Straight Thermostatic Valve Pack
RRT1C Chrome **£105.52**



Traditional Straight Thermostatic Valve Pack
RRT1N Nickel **£105.52**



Traditional Straight Thermostatic Valve Pack
RRT1B Antique Brass **£105.52**



Traditional Straight Thermostatic Valve Pack
RRT1CO Copper **£111.91**



Traditional Straight Thermostatic Valve Pack
RRT1BB Brushed Brass **£111.28**

Accessories

18 x 130mm Pipe Shrouds

RRP2C	Chrome	£25.76
RRP2B	Black	£29.17
RRP2A	Anthracite	£29.17
RRP2BB	Brushed Brass	£39.47
RRP2BN	Nickel	£39.47
RRP2BR	Brushed Bronze	£39.47
RRP2GM	Gunmetal	£39.47



1/2" Air Vent & Plug Set

RRP3B	Black	£18.46
RRP3BB	Brushed Brass	£18.46
RRP3GM	Gunmetal	£18.46
RRP3BR	Brushed Bronze	£18.46



Thermostatic Radiator Valves 15mm

Angled Thermostatic Valve Pack

RRV7C	Chrome	£74.50
RRV7AN	Anthracite	£74.50
RRV7B	Black	£77.16
RRV7V	Volcanic	£77.16
RRV7W	White	£77.16
RRV7BB	Brushed Brass	£77.16
RRV7BR	Brushed Bronze	£77.16
RRV7GM	Gunmetal	£77.16
RRV7N	Brushed Nickel	£82.50



Chrome



Anthracite



Black



Volcanic



White



Brushed Brass



Brushed Bronze



Gunmetal



Brushed Nickel



Chrome



Anthracite



Black



Volcanic




White



Brushed Brass



Brushed Bronze



Gunmetal



Brushed Nickel

Colour keys are for guidance only and are not representative of the actual colour.

Straight Thermostatic Valve Pack

RRV8C	Chrome	£74.50
RRV8AN	Anthracite	£74.50
RRV8B	Black	£77.16
RRV8V	Volcanic	£79.82
RRV8W	White	£79.82
RRV8BB	Brushed Brass	£79.82
RRV8BR	Brushed Bronze	£79.82
RRV8GM	Gunmetal	£79.82
RRV8N	Brushed Nickel	£82.50



Chrome



Anthracite



Black



Volcanic



White



Brushed Brass



Brushed Bronze



Gunmetal



Brushed Nickel

Corner Thermostatic Valve Pack

RRV9C	Chrome	£74.50
RRV9AN	Anthracite	£74.50
RRV9B	Black	£79.82
RRV9V	Volcanic	£79.82
RRV9W	White	£79.82
RRV9BB	Brushed Brass	£79.82
RRV9BR	Brushed Bronze	£79.82
RRV9GM	Gunmetal	£79.82
RRV9N	Brushed Nickel	£79.82



Chrome



Anthracite



Black



Volcanic



White



Brushed Brass



Brushed Bronze



Gunmetal



Brushed Nickel

Immersion Heater Easy (IHE)

Do you still want to warm your towels even when the central heating is turned off?

You can add one of these great IHE packs to your radiator to allow you to control it electrically when the central heating is off.

How?


1. Turn off connection to central heating, so the water within the radiator is isolated
2. Switch on Simple Immersion, so your radiator will be heated electrically
3. Enjoy warm towels all year long even when the central heating is off



Code		Description	Price
858801	200W	Simple immersion IHE (IP65) with White cap	£120.00
858811	300W	Simple immersion IHE (IP65) with White cap	£120.00
858821	400W	Simple immersion IHE (IP65) with White cap	£120.00
858831	600W	Simple immersion IHE (IP65) with White cap	£120.00
858841	900W	Simple immersion IHE (IP65) with White cap	£120.00
858808	200W	Simple immersion IHE (IP65) with Chrome cap	£120.00
858818	300W	Simple immersion IHE (IP65) with Chrome cap	£120.00
858828	400W	Simple immersion IHE (IP65) with Chrome cap	£120.00
858838	600W	Simple immersion IHE (IP65) with Chrome cap	£120.00
858848	900W	Simple immersion IHE (IP65) with Chrome cap	£120.00

Code		Description	Price
853111		T piece for dual fuel installation. White RAL9016	£19.20
853118		T piece for dual fuel installation. Chrome finish	£21.60
853119		T piece for dual fuel installation. Colour finish	£24.00

Redroom valves are all dual fuel compatible providing they use a T Piece provided with the element.



All Redroom radiators have the CE mark, having been independently tested in accredited laboratories to EN442 in accordance with CE requirements. This means our published heat output figures are fully in line with the testing criteria. You can therefore specify the size of your radiator with the assurance that your choice will perform as stated, making Redroom radiators the obvious choice.

How to Specify Your Radiator



STEP 1

To start with, you need to find out the heat requirement of the room in Watts. To calculate this as a rough guide, allow 50 watts per cubic metre of the room. You should also consult with a heating engineer for the exact requirement. To change the watts into BTUs, multiply the watt amount by 3.412.



STEP 2

Choose the location of the radiator and figure out any restrictions that could occur, for example height if the radiator is going to be fitted under a window.



STEP 3

Browse through this catalogue and choose the perfect radiator for your dream bathroom. For more information speak to your local retailer or heating engineer.



SECONDARY HEAT SOURCE

Does your radiator meet the room's heat requirement?

Depending on the size of your bathroom and type of radiator you want, you may need a secondary heat source.

If necessary you can add an extra radiator or underfloor heating to make sure your room is sufficiently heated.



Underfloor Heating

Add luxurious comfort to your home with Redroom underfloor heating. Perfect for heating all areas of your house, but particularly suited to kitchens and bathrooms.

All mats are installed with a choice of three stylish digital thermostats that have energy saving functions to help reduce heating costs.

Available in a range of sizes, the self-adhesive mesh can easily and quickly be fitted directly onto concrete or insulation boards to provide an even spread of heat.


Energy Efficiency



Radiators generate warmth around and above the radiator



Underfloor heating provides the ultimate comfort with heat rising up from the floor where you need it the most





100w Underfloor Heating Mats

Code	Description	Price
UHF1	1.0m ² 100W	£90.31
UHF15	1.5m ² 150W	£98.21
UHF2	2.0m ² 200W	£116.46
UHF25	2.5m ² 250W	£138.67
UHF3	3.0m ² 300W	£174.68
UHF35	3.5m ² 350W	£187.70
UHF4	4.0m ² 400W	£211.45
UHF5	5.0m ² 500W	£264.34
UHF6	6.0m ² 600W	£317.21
UHF7	7.0m ² 700W	£370.06
UHF8	8.0m ² 800W	£422.94
UHF9	9.0m ² 900W	£448.07
UHF10	10m ² 1000W	£489.40
UHF12	12m ² 1200W	£553.72

Suitable to go directly onto a prepared wooden floor. IPX7, 230V, cable thickness 4mm, 500mm width. Each installation requires a thermostat controller.

150w Underfloor Heating Mats

Code	Description	Price
HHF1	1.0m ² 150W	£92.89
HHF15	1.5m ² 225W	£101.00
HHF2	2.0m ² 300W	£125.77
HHF25	2.5m ² 375W	£149.78
HHF3	3.0m ² 450W	£188.68
HHF35	3.5m ² 525W	£202.74
HHF4	4.0m ² 600W	£228.41
HHF5	5.0m ² 750W	£285.49
HHF6	6.0m ² 900W	£342.58
HHF7	7.0m ² 1050W	£399.68
HHF8	8.0m ² 1200W	£456.83
HHF9	9.0m ² 1350W	£506.41
HHF10	10m ² 1500W	£562.68
HHF12	12m ² 1800W	£639.88

Suitable to go directly onto a concrete subfloor or timber subfloor covered with insulation boards. IPX7, 230V, cable thickness 4mm, 500mm width. Each installation requires a thermostat controller.

Heating Mats Features and Benefits

- Suitable for tiles, laminate and wood floors
- Energy efficient
- Produces around 80% less dust
- Self-adhesive
- Saves on space and no exposed pipes
- Quick and easy to install
- Suitable for small and large areas
- 12 year guarantee on mats

Each Underfloor Heating Installation Requires a Thermostat Controller

Turn to page 64 to choose yours



Underfloor Heating Cable & Membrane

Each Underfloor Heating Installation Requires a Thermostat Controller

Turn to page 64 to choose yours



Features and Benefits

- Quick and easy to install and use
- Cost effective
- Space saver - When used as a primary heat source you don't need radiators, freeing up precious wall space
- Ideal for tiled floors. Also suitable for laminate and wood floors
- Designed to secure heating cable as well as act as a decoupling membrane
- Neutralises tensions between substrate and tiles, reducing cracking as the floor settles/moves
- Fully customisable
- Fit with flexible tile adhesive (not provided) and no levelling compound required

As Easy as 1,2,3

Combining underfloor heating and antifracture mat, this brilliant new product from Redroom could save you significant money and time in fitting. It really is as easy as 1,2,3.



STEP 1

Redroom decoupling membrane goes down on the floor.



STEP 2

Underfloor heating wire is spaced out within the guides on the membrane.



STEP 3

It's now ready for tiling. The membrane gives ultimate protection against tiles cracking that may occur due to settling and movement of the substrate underneath.




Time saving is a key benefit with this product, but what's more, the membrane offers a high level of protection against accidental damage plus it gives the installer a template for very accurate and consistent spacing. If you use underfloor heating, this is the product you need in your life.

Decoupling Membrane Rolls

Code	Description	Price
UFMEM1	5m ² Membrane Roll	£152.29
UFMEM2	15m ² Membrane Roll	£456.86

Polypropylene membrane with rounded square shaped studs that form channels specifically designed to embed and fasten electric heating cables. Suitable to go directly onto a concrete subfloor or timber covering insulating boards.



Heating Cable for Membrane

Code	Description	Price
UFW1	10m Cable	£149.78
UFW2	20m Cable	£163.79
UFW3	28m Cable	£194.81
UFW4	41m Cable	£240.53
UFW5	50m Cable	£293.50
UFW6	57m Cable	£348.42
UFW7	70m Cable	£354.89
UFW8	81m Cable	£380.51
UFW9	90m Cable	£427.61
UFW10	100m Cable	£441.32
UFW11	129m Cable	£504.00
UFW12	142m Cable	£512.98
UFW13	165m Cable	£576.88

IPX7, 230V, cable thickness 4mm. Cold tail length 2.3m. 12 year guarantee. Each installation requires a thermostat controller.

Primary Heat = 150W/m² at 2 studs apart
Secondary Heat = 100W/m² at 3 studs apart

0.5m² area needs 10m linear cable.

Thermostat Controls



EACH
UNDERFLOOR
HEATING
INSTALLATION
REQUIRES A
THERMOSTAT
CONTROLLER



Touch Thermostat Control

Touch+ Thermostat Control



- Large LED backlit display with air and floor sensor
- 7 day, 6 period programme
- Frost protection
- Screen lock

- Sleek design
- LED display with air and floor sensor
- 7 day, 6 period programme
- Frost protection
- Screen lock

Code	Price
HFT1	£120.92

Code	Price
HFT4	£173.48

Wifi Enabled Thermostat Control

- Large LED backlit display with air and floor sensor
- 7 day, 6 period programme
- WiFi enabled
- Frost protection
- Screen lock
- Controlled via App



Colour	Code	Price
White	HFT5W	£224.09
Black	HFT5B	£224.09

Technical Data	
Supply Voltage	220-240V ~
Power Output	100W/m ² @230V ~ / 150W/m ² @230V ~
Width	500mm
Construction	Round, twin conductor with 360° screen, one cold tail
Max Ambient Temp	65°C
Cable Thickness	4mm
Deformation Strength	600N
Pulling Strength	120N
Conductor Insulation	FEP
Outer Sheath	PVC
Screen	100% coverage, alu-foil, 0.5mm ² finned copper drain wire
Cold Lead	4m DTWB, 2x1.0mm ² earthed
Min Installation Temp	-5°C
Bending Radius	6 x Ø
IP Class	IPX7



July 2025

Your Local Supplier



www.redroomheating.co.uk

Distributed by Barwick Bathroom Distribution LLP
We reserve the right to alter or amend product details without prior notice.
All dimensions are nominal. Errors and omissions excepted. All prices are inclusive of VAT at 20%